

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

ATTORNEY DOCKET NUMBER: 200302297-1

IN RE APPLICATION OF: U.S. Patent No. 6,912,664

USPTO CONFIRMATION CODE: 9477

APPLICATION NO.: 10/081,720

FILED: Feb. 21, 2002

EXAMINER: Rehana Perveen

GROUP ART UNIT: 2116

FOR: ENERGY-AWARE SOFTWARE-CONTROLLED PLURALITY OF DISPLAYS

37 CFR 1.322 & 37 CFR 1.323 REQUEST FOR CERTIFICATE OF CORRECTION

HONORABLE COMMISSIONER OF PATENTS & TRADEMARKS

Sir:

The following is a request for a certificate of correction in Serial Number 10/081,720, now Patent Number 6,912,664.

A certificate of correction under 35 USC 254 is respectfully requested in the above-identified patent.

☒ All errors were the fault of the USPTO, no fee required. In the event that a further fee is required, please charge the amount to Deposit Account No. 082025.

☐ All errors were the fault of the applicant and, accordingly, please charge \$100.00 to our Deposit Account No. 082025. In the event that a further fee is required, please charge the amount to the same Deposit Account.

☐ The errors were the fault of both the applicant and USPTO and, accordingly, please charge \$100.00 to our Deposit Account No. 082025. In the event that a further fee is required, please charge the amount to the same Deposit Account.

The exact locations where the errors appear in the patent and patent application are as follows:

In column 20, line 31, in Claim 7, delete "claim 1" and insert - - claim 1, - -, therefor.

(Amendment to claims filed on Feb. 23, 2005, page 3, in Claim 7, line 1)

In column 22, line 33, in Claim 35, after "display" insert - - (LCD) - -.

(Amendment to claims filed on Feb. 23, 2005, page 7, in Claim 35, line 2)

In column 22, line 34, in Claim 35, after "diode" insert - - (OLED) - -.

(Amendment to claims filed on Feb. 23, 2005, page 7, in Claim 35, line 3)

In column 22, line 36, in Claim 35, after "CRT" insert - - (cathode ray tube) - -.

(Amendment to claims filed on Feb. 23, 2005, page 7, in Claim 35, line 5)

The requested corrections are attached on Form PTO 1050.

Respectfully Submitted

8/17/09  
DATE

Denise A. Lee  
Name: Denise A Lee  
Registration No.: 35,931

Attorney/Agent of Record

HEWLETT-PACKARD COMPANY  
Intellectual Property Administration  
P.O. Box 272400  
Fort Collins, Colorado 80527-2400

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6,912,664  
APPLICATION NO. : 10/081,720  
ISSUE DATE : Jun 28, 2005  
INVENTOR(S) : Parthasarathy Ranganathan, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 20, line 31, in Claim 7, delete "claim 1" and insert - - claim 1, - -, therefor.

In column 22, line 33, in Claim 35, after "display" insert - - (LCD) - -.

In column 22, line 34, in Claim 35, after "diode" insert - - (OLED) - -.

In column 22, line 36, in Claim 35, after "CRT" insert - - (cathode ray tube) - -.

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

HEWLETT-PACKARD COMPANY  
Intellectual Property Administration  
P. O. Box 272400  
Fort Collins, Colorado 80527-2400

This collection of information is required by 37 CFR 1.322, and 1.323, and 1.324. The information is required to obtain at least a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 10 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patent, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2*